



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

what road they travel, by the muddy tincture near the bottom of the water, and that so certainly as you cannot easily miss of covering the greatest part of them with a cast-net; as I have formerly been shown by Mr. *Ferdinando Pulson* of *Desborough*.

3. (What I would most observe; ) The boy knows, when he is upon the Carps layer (if I may use that term,) by the warmth of the water; and when he finds that heat in the water, though he neither see nor feel any Carps (in the middle of the pond,) he immediately repairs to the sides to pursue his game. I am, &c.

*A easy way of raising Fruit-trees to what numbers any desires; communicated to the Publisher, by Mr. Lewis of Totnam High-crofs.*

**T**AKE a piece of the root of any Apple-tree or Pear-tree, &c. about six inches long, and tongue-graft a graft of an apple or pear into the root. The way of Tongue-grafting is, to cut the root sloping about one inch, and the graft sloping in like manner one inch; cutting both very smooth. Then cleave the root and the graft likewise about one inch, and enter them into one another, that the sap of the graft may joyn to the sap of the root as much as you can. Lap the joynted place about with a little hemp or flax-hurds; set the root so grafted into the ground about ten or twelve inches deep, so as the joynt may be covered at least four inches under the earth, that it may not be bared at any time, but kept moist by the Earth.

The root you graft upon, must not be less than your graft; it is no inconvenience, if it is bigger; then you can joyn the sap of the graft and root only on one side. It is best that the root and the graft be of the same bigness; then they will joyn on both sides: But there is no need you should be critical.

It is not necessary, the Graft should be of one years growth: Your Graft may be any fair streight branch, as big as a mans-finger, five or six foot long, provided the root be proportionable.

The Roots of young trees are to be preferred before the roots of older trees, because they will be more apt to take in sap and nourish the branch grafted into them.

The best roots of all, are those that come of kernels, which may be drawn at one, two or three years old, according to their growth. One plant must yield several Roots according to its bigness.

The Informer assures us, that 29 years since he sowed a bed of apple-kernels in *March*, in which year he planted an Orchard of Apple-trees and Pear-trees that cost 12.*d.* the tree. The spring following he pluckt up 40 of those seedlings, grown to the thickness of a fair graft, he grafted them in this manner of tongue-grafting, and planted them again. They all grew, and four of them bore fruit to perfection that year; so that in a year and half from an apple-kernel he had ripe fruit. Four of those trees, bought at 12.*d.* the tree, died; for want of a better supply, four of these trees thus grafted were planted in the rooms of those which died. These four trees will now bear two quarters of apples upon a tree; and are bigger than most of those trees amongst which they stand, which cost 12.*d.* the tree, when these were Kernels. He doth conceive, that plumbs, cherries, apricotts, peaches, and all sorts of fruit-trees may be thus raised; but he hath not made an Experiment any further then upon apples and pears.

If any desire to be further satisfied of the executive part of this, and the success of it, they may repair to *Totnam-High-Cross* four miles from *London* in the road to *Ware*, where they themselves may see this performed.

*An Account of some Books.*

II. *Christiani Hugemii Zulichemii HOROLOGIVM OSCILLATORIUM. Parisiis, 1673. in fol.*

**T**HIS eminent Mathematician divideth this Treatise into Five parts, of which,  
The *First* containeth his description of the Pendulum Watch.

The